

**Section 1: Identification****Product Identifiers**

Product name **Aron Alpha Type Setter H**  
Product number **AA-630, AA-706, AA-707**  
**Recommended use of & restrictions on use**  
Activator for Aron Alpha

*Manufacturer's Name*

Krazy Glue Co.,  
Div. of Toagosei America Inc.  
1450 West Main Street  
West Jefferson, OH 43162

**Emergency telephone number**

**CHEMTREC (800) 424-9300**  
**Manufacturer's Information**

*Telephone: (614) 879-9411*

**Section 2 – Hazard Identification**

Classification of the substance or mixture

Classification according to 1910.1200:

<b>Flammable Liquids</b>	<b>Category 2</b>
<b>Skin Corrosion/Irritation</b>	<b>Category 2</b>
<b>Specific Toxic Organ Toxicity-Single Exposure (STOT-SE)</b>	<b>Category 3, Central Nervous System</b>
<b>Aspiration Hazard</b>	<b>Category 1</b>

**Label Elements**

Flame



Health Hazard



Exclamation mark

**Pictograms****Signal word**

Danger

**Hazard statements**

Highly flammable liquid and vapor.  
Causes skin irritation.  
May cause drowsiness or dizziness.  
May be fatal if swallowed and enters airways.

**Precautionary statements***Prevention*

Keep away from flames and hot surfaces. – No smoking.

Keep container tightly closed.  
Ground/Bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Wear protective gloves/eye protection/face protection.  
Wash hands thoroughly after handling.  
Avoid breathing mist/vapors.  
Use only outdoors or in a well-ventilated area.

### *Response*

In case of fire: Use dry chemical or carbon dioxide (CO<sub>2</sub>) to extinguish.  
IF ON SKIN (or Hair): Wash with plenty of water. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.  
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do not induce vomiting.

### *Storage*

Store in a cool, well-ventilated place and keep container tightly closed.  
Store locked up.

### *Disposal*

Dispose of contents/container in accordance with local/regional/national/international regulations.

### **Hazards Not Otherwise Classified**

No data available.

---

### **Section 3 – Composition/Information on Ingredients**

---

<b>Chemical Name</b>	<b>Common Name/Synonyms</b>	<b>CAS Number</b>	<b>Concentration %</b>
Heptanes		426260-76-6	>98
N,N,4-Trimethylbenzeneamine	N,N-Dimethyl-p-toluidine	99-97-8	<2

\*Non hazardous ingredients are not listed and make up the balance of the product.

---

### **Section 4 – First-Aid Measures**

---

#### **Description of first aid measures**

**Ingestion:** Do not induce vomiting. Rinse mouth with water if conscious. Never give anything by mouth to an unconscious person. Call a physician.

**Inhalation:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

**Skin:** Wash with plenty of water. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

**Eyes:** In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

### **Most important symptoms/effects, acute and delayed**

The most important symptoms or effects are described in Section 2 and 11.

**Indication of immediate medical attention & special treatment needed.** - No data available.

---

## **Section 5 – Fire-Fighting Measures**

---

### **Extinguishing media**

**Suitable** – Use dry chemical or carbon dioxide (CO<sub>2</sub>) to extinguish fire.

**Unsuitable** – Water.

**Special hazards arising from the chemical** – Carbon oxides.

**Special protective equipment and precautions for fire-fighters** – Self-contained breathing apparatus with face piece and protective clothing if involved in a fire of other materials.

---

## **Section 6 - Accidental Release Measures**

---

### **Personal precautions, protective equipment and emergency procedures**

Use personal protective recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personal. Avoid breathing vapors, mist or gas. Ventilate area. Eliminate all sources of ignition.

### **Environmental Precautions**

Prevent entry into drains, natural bodies of water and the environment.

### **Methods and materials for containment and clean up**

**Containment** – Material may be taken up with a non-combustible absorbent material (sand or clay).

**Clean-up** – Eliminate all sources of ignition. Place in container for disposal according to local/national regulations (see section 13).

---

**Section 7 – Handling and Storage**

---

**Precautions for safe handling**

Handle in accordance with good industrial hygiene and safety practices. These practices include avoiding unnecessary exposure and removal of the material from eyes, skin and clothing. Wash thoroughly after handling. Avoid inhalation of vapor or mist. Static ignition hazard can result from handling and use. Electrically bond and ground all containers, personnel and equipment before transfer or use.

**Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

**Incompatibilities**

Keep away from heat, sparks, flame and other ignition sources.

---

**Section 8 – Exposure Controls/Personal Protection**

---

**Exposure guidelines**

Component	OSHA	ACGIH		Units
	TWA	TWA	STEL	
Heptane	500	400	500	ppm

N. E. = Not Established

**Engineering controls**

The following exposure control techniques may be used to effectively minimize employee exposure: local exhaust ventilation, enclosed system design, process isolation and remote control in combination with appropriate use of personal protective equipment and prudent work practices.

These techniques may not necessarily address all issues pertaining to your operations. We, therefore, recommend that you consult with experts of your choice to determine whether or not your programs are adequate.

**Personal protective equipment**

Eye/face protection – Wear safety goggles.

Skin protection – Wear impervious gloves as required to prevent skin contact.

Respiratory protection – Where air contaminants can exceed acceptable criteria, use NIOSH/MSHA approved respiratory protection equipment. Respirators should be selected based on the form and concentration of contaminants in air in accordance OSHA laws and regulations or other applicable standards or guidelines, including ANSI standards regarding respiratory protection.

---

**Section 9 – Physical and Chemical Properties**

---

- |   |  |
|---|--|
| <p>a) <b>Appearance:</b> Slightly yellow liquid</p> <p>b) <b>Odor:</b> Sweet, similar to gasoline</p> <p>c) <b>Odor threshold:</b> No data available</p> <p>d) <b>pH:</b> No data available</p> <p>e) <b>Melting point/freezing point:</b><br/>-91°C/-132°F</p> <p>f) <b>Initial boiling point and boiling range:</b> 91°C/195°F</p> <p>g) <b>Flash point:</b> -9°C/-15°F</p> <p>h) <b>Evaporation rate</b> – No data available</p> <p>i) <b>Flammability:</b> No data available</p> <p>j) <b>Upper/lower flammability or explosive limits:</b><br/>Lower explosion limit; 1.2<br/>Upper explosion limit; 6.7</p> | <p>k) <b>Vapor pressure:</b> 40 (mmHg @ 20°C), 5333 (Pa @ 20°C)</p> <p>l) <b>Vapor density:</b> 3.5 (AIR=1)</p> <p>m) <b>Relative density:</b> 0.697 (Water = 1 @ 25°C)</p> <p>n) <b>Solubility in water:</b> Insoluble</p> <p>o) <b>Partition coefficient:</b> No data available</p> <p>p) <b>Auto-ignition temperature:</b><br/>223°C/433°F</p> <p>q) <b>Decomposition temperature:</b> No data available</p> <p>r) <b>Viscosity:</b> No data available</p> <p>s) <b>VOC content:</b> 680 g/L (SCAQMD Method 316B)</p> |
|---|--|

---

**Section 10 – Stability and Reactivity**

---

**Reactivity** – No data available

**Chemical stability** – Stable under recommended storage conditions

**Possibility of hazardous reactions** – No data available

**Conditions to avoid** – Sparks, heat and flames.

**Incompatible materials** – Strong oxidizing agents, reducing agents, alkalis, acids.

**Hazardous decomposition products** – Carbon dioxide and carbon monoxide

---

**Section 11 – Toxicological Information**

---

**Information on likely routes of exposure**

**Inhalation** – May cause drowsiness or dizziness.

**Ingestion** - May be fatal if swallowed and enters airways.

**Skin** – Causes skin irritation.

**Eye** – No data available.

**Symptoms related to physical, chemical and toxicological characteristics**

Stomach or intestinal upset, irritation, CNS depression, temporary changes in mood and behavior, loss of appetite, lack of coordination, irregular heartbeat, narcosis.

**Delayed and immediate effects & also chronic effects from short & long term exposure**

No data available.

**Numerical measures of toxicity**

No data available.

**Carcinogenicity**

**NTP** – No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**IARC** – No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

**OSHA** – No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**ACGIH** – No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

---

**Section 12 – Ecological Information**

---

**Ecotoxicity** – No data available.

**Persistence and degradability** – No data available.

**Bioaccumulative potential** – No data available.

**Mobility in soil** – No data available.

**Other adverse effects** – No data available.

---

**Section 13 – Disposal Considerations**

---

Disposal should be in accordance with applicable local, regional and national laws and regulations. Local regulations may be more stringent than regional or national requirements. May contain explosive vapors. DO NOT cut, puncture or weld on or nearby.

**Contaminated packaging** – Dispose of as unused product.

---

**Section 14 – Transport Information**

---

**UN number** – UN 1206.

**UN proper shipping name** – Heptanes Solution.

**Transport hazard class(es)** – Class 3.

**Packing Group** – II

**Environmental hazards** – No data available.

**Transport in bulk** – No data available.

**Special precautions** – No data available.

---

**Section 15 – Regulatory Information**

---

**US Federal Regulations**

SARA Title III: Section 311/312

Fire hazard  
Acute health hazard

SARA Title III: Section 313 & 40 CFR Part 372

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372.

None required per SARA Title III Section 313

TSCA Section 8(b) Inventory

All reportable chemical substances are listed on the TSCA inventory. We rely on certifications of compliance from our suppliers for chemical substances not manufactured by us.

**Canadian Regulations****Workplace Hazard Materials Information System (WHMIS)**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulation (CPR) and the SDS contains all the information required by the CPR.

Class B, DIV 2

Class D, DIV 2B

**Canadian Environmental Protection Act (CEPA)**

All reportable chemical substances are listed on the Domestic Substance List (DSL) or otherwise comply with CEPA new substance notification requirements.

**National Pollutant Release Inventory**

This product contains the following chemical(s) subject to the reporting requirements of the Canadian Environmental Protection Act (CEPA) subsection 16 (1), National Pollutant Release Inventory.

None

**State and Local Regulations****California Proposition 65**

The following statement is made in order to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986:

This product contains the following substance(s) known to the state of California to cause cancer.

Benzene, Ethyl Benzene, N,N,4-Trimethylbenzeneamine  
(Common Name; N,N-Dimethyl-p-toluidine)

This product contains the following substance(s) known to the state of California to cause reproductive harm.

Benzene, Toluene

---

**Section 16 – Other Information**

---

**Version:** 1.1

Revised: 8/4/15

Printed: 8/4/2015

**HMIS Rating**

Health **2\***

Flammability **3**

Physical Hazard **0**

0-minimal, 1-slight, 2-moderate, 3-serious, 4-severe

To the best of our knowledge, the information contained herein is accurate. However, neither Toagosei America Ltd. nor any of its subsidiaries assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.